

# Grizzly Peak Plant List

as of 2/7/2013

T38S.R2E.S17,18

\*Non-native  
compiled by Tanya Harvey  
westerncascades.com

## FERNS & ALLIES

### Dryopteridaceae

\_\_\_ *Polystichum munitum*

### Pteridaceae

\_\_\_ *Cheilanthes gracillima*

### Woodsiaceae

\_\_\_ *Cystopteris fragilis*

## TREES & SHRUBS: CONIFERS

### Cupressaceae

\_\_\_ *Calocedrus decurrens*  
(*Libocedrus decurrens*)

\_\_\_ *Juniperus communis*

### Pinaceae

\_\_\_ *Abies concolor* x *grandis*

\_\_\_ *Pinus ponderosa*

\_\_\_ *Pseudotsuga menziesii*

## TREES & SHRUBS: DICOTS

### Adoxaceae

\_\_\_ *Sambucus mexicana*  
(*Sambucus cerulea*)

### Berberidaceae

\_\_\_ *Berberis aquifolium*  
(*Mahonia aquifolium*)

### Caprifoliaceae

\_\_\_ *Lonicera conjugialis*

\_\_\_ *Symphoricarpos albus*

\_\_\_ *Symphoricarpos mollis*  
(*Symphoricarpos hesperius*)

\_\_\_ *Symphoricarpos rotundifolius*

### Ericaceae

\_\_\_ *Arctostaphylos patula*

### Fagaceae

\_\_\_ *Chrysolepis chrysophylla*  
(*Castanopsis chrysophylla*)

\_\_\_ *Quercus garryana* var. *breweri*

\_\_\_ *Quercus garryana* var. *garyana*

### Grossulariaceae

\_\_\_ *Ribes binominatum*

\_\_\_ *Ribes lacustre*

\_\_\_ *Ribes lobbii*

\_\_\_ *Ribes sanguineum*

\_\_\_ *Ribes viscosissimum*

### Rhamnaceae

\_\_\_ *Ceanothus velutinus*

### Rosaceae

\_\_\_ *Amelanchier alnifolia*

\_\_\_ *Holodiscus discolor*

\_\_\_ *Prunus emarginata*

\_\_\_ *Prunus virginiana*

\_\_\_ *Rosa gymnocarpa*

\_\_\_ *Rubus leucodermis*

\_\_\_ *Rubus parviflorus*

### Salicaceae

\_\_\_ *Salix scouleriana*

\_\_\_ *Salix* sp.

### Sapindaceae

\_\_\_ *Acer glabrum* var. *torreyi*

\_\_\_ *Acer macrophyllum*

## HERBACEOUS DICOTS

### Apiaceae

\_\_\_ *Angelica arguta*

\_\_\_ *Heracleum maximum*  
(*Heracleum lanatum*)

\_\_\_ *Lomatium dissectum*

\_\_\_ *Lomatium hendersonii*

\_\_\_ *Lomatium macrocarpum*

\_\_\_ *Lomatium nudicaule*

\_\_\_ *Lomatium piperi*

\_\_\_ *Lomatium utriculatum*

\_\_\_ *Orogenia fusiformis*

\_\_\_ *Osmorhiza berteroi*  
(*Osmorhiza chilensis*)

\_\_\_ *Osmorhiza occidentalis*

\_\_\_ *Perideridia gairdneri*  
(*Perideridia montana*)

\_\_\_ *Perideridia* sp.

\_\_\_ *Sanicula graveolens*

### Aristolochiaceae

\_\_\_ *Asarum caudatum*

### Asteraceae

\_\_\_ *Achillea millefolium*

\_\_\_ *Adenocaulon bicolor*

\_\_\_ *Agoseris heterophylla*

\_\_\_ *Balsamorhiza deltoidea*

\_\_\_ *Blepharipappus scaber*

\_\_\_ \**Cirsium vulgare*

\_\_\_ *Ericameria nauseosa* var. *speciosa*  
(*Chrysothamnus nauseosus*)

\_\_\_ *Erigeron aliceeae*

\_\_\_ *Erigeron bloomeri*

\_\_\_ *Erigeron eatonii*

\_\_\_ *Eriophyllum lanatum*

\_\_\_ *Eurybia radulina*  
(*Aster radulinus*)

\_\_\_ *Hemizonella minima*  
(*Madia minima*)

\_\_\_ *Madia glomerata*

\_\_\_ *Madia gracilis*

\_\_\_ *Pseudognaphalium thermale*  
(*Gnaphalium canescens* ssp. *thermale*)

\_\_\_ *Rudbeckia occidentalis*

\_\_\_ *Senecio integerrimus*

\_\_\_ *Symphotrichum foliaceum*  
(*Aster foliaceus*)

\_\_\_ \**Taraxacum officinale*

\_\_\_ \**Tragopogon dubius*

\_\_\_ *Wyethia angustifolia*

### Berberidaceae

\_\_\_ *Vancouveria hexandra*

### Boraginaceae

\_\_\_ *Cryptantha intermedia*

\_\_\_ *Cryptantha* sp.

\_\_\_ *Hackelia micrantha*  
(*Hackelia jessicae*)

\_\_\_ *Hesperochiron pumilus*

\_\_\_ *Hydrophyllum capitatum*

\_\_\_ *Hydrophyllum fendleri*

\_\_\_ *Nemophila parviflora*

\_\_\_ *Nemophila pedunculata*

\_\_\_ *Phacelia hastata*

\_\_\_ *Phacelia mutabilis*

\_\_\_ *Phacelia peckii*

\_\_\_ *Phacelia* sp.

**Brassicaceae**

- \_\_\_ *Athysanus pusillus*
- \_\_\_ *Cardamine californica* var. *integrifolia*
- \_\_\_ *Cardamine nuttallii* var. *dissecta*  
(*Cardamine pulcherrima* var. *tenella*)
- \_\_\_ *Draba verna*
- \_\_\_ *Idahoia scapigera*
- \_\_\_ *Noccaea fendleri*  
(*Thlaspi fendleri*, *Thlaspi montanum*)
- \_\_\_ *Turritis glabra*  
(*Arabis glabra*)

**Campanulaceae**

- \_\_\_ *Campanula scouleri*

**Caryophyllaceae**

- \_\_\_ *Arenaria congesta*  
(*Eremogone congesta*)
- \_\_\_ \**Arenaria serpyllifolia*
- \_\_\_ *Moehringia macrophylla*  
(*Arenaria macrophylla*)
- \_\_\_ *Pseudostellaria jamesiana*
- \_\_\_ \**Spergularia rubra*
- \_\_\_ *Stellaria obtusa*

**Convolvulaceae**

- \_\_\_ *Calystegia occidentalis*  
(*Convolvulus nyctagineus*)

**Crassulaceae**

- \_\_\_ *Sedum oregonense*
- \_\_\_ *Sedum stenopetalum*

**Cucurbitaceae**

- \_\_\_ *Marah oreganus*

**Ericaceae**

- \_\_\_ *Pyrola picta*

**Fabaceae**

- \_\_\_ \**Lathyrus latifolius*
- \_\_\_ *Lathyrus nevadensis*
- \_\_\_ *Lupinus albicaulis*  
(*Lupinus andersonii*)
- \_\_\_ *Lupinus lepidus* var. *lobbii*
- \_\_\_ *Trifolium cyathiferum*
- \_\_\_ \**Trifolium repens*
- \_\_\_ *Vicia americana*

**Geraniaceae**

- \_\_\_ *Geranium oreganum*

**Hypericaceae**

- \_\_\_ \**Hypericum perforatum*

**Lamiaceae**

- \_\_\_ *Agastache urticifolia*
- \_\_\_ *Monardella odoratissima*
- \_\_\_ *Scutellaria antirrhinoides*
- \_\_\_ *Stachys rigida*
- \_\_\_ *Trichostema oblongum*

**Limnanthaceae**

- \_\_\_ *Floerkea prosperinacoides*

**Malvaceae**

- \_\_\_ *Iliamna bakeri*
- \_\_\_ *Sidalcea oregana*

**Montiaceae**

- \_\_\_ *Claytonia perfoliata*  
(*Montia perfoliata*)
- \_\_\_ *Claytonia rubra* ssp. *rubra*
- \_\_\_ *Claytonia sibirica*  
(*Montia sibirica*)
- \_\_\_ *Lewisia triphylla*
- \_\_\_ *Montia chamissoi*

**Onagraceae**

- \_\_\_ *Chamerion angustifolium*  
(*Epilobium angustifolium*)
- \_\_\_ *Circaea alpina*
- \_\_\_ *Clarkia rhomboidea*
- \_\_\_ *Epilobium brachycarpum*  
(*Epilobium paniculatum*)
- \_\_\_ *Epilobium ciliatum* ssp. *ciliatum*
- \_\_\_ *Epilobium densiflorum*  
(*Boisduvalia densiflora*)
- \_\_\_ *Epilobium minutum*
- \_\_\_ *Gayophytum diffusum*

**Orobanchaceae**

- \_\_\_ *Castilleja pruinosa*
- \_\_\_ *Castilleja tenuis*  
(*Orthocarpus hispidus*)
- \_\_\_ *Orobanche uniflora*
- \_\_\_ *Orthocarpus imbricatus*

**Paeoniaceae**

- \_\_\_ *Paeonia brownii*

**Papaveraceae**

- \_\_\_ *Dicentra uniflora*

**Phrymaceae**

- \_\_\_ *Mimulus guttatus*

**Plantaginaceae**

- \_\_\_ *Collinsia linearis*
- \_\_\_ *Collinsia parviflora*
- \_\_\_ *Penstemon deustus*
- \_\_\_ \**Plantago lanceolata*
- \_\_\_ \**Plantago major*
- \_\_\_ *Synthyris reniformis*
- \_\_\_ *Tonella tenella*
- \_\_\_ *Veronica americana*
- \_\_\_ *Veronica serpyllifolia* var. *humifusa*

**Polemoniaceae**

- \_\_\_ *Collomia grandiflora*
- \_\_\_ *Gilia capitata*
- \_\_\_ *Ipomopsis aggregata*  
(*Gilia aggregata*)
- \_\_\_ *Leptosiphon harknessii*  
(*Linanthus harknessii*)
- \_\_\_ *Microsteris gracilis*  
(*Phlox gracilis*)
- \_\_\_ *Navarretia divaricata*
- \_\_\_ *Navarretia intertexta*
- \_\_\_ *Polemonium carneum*

**Polygonaceae**

- \_\_\_ *Eriogonum compositum*
- \_\_\_ *Eriogonum nudum*
- \_\_\_ *Eriogonum sphaerocephalum* var.
- \_\_\_ *Eriogonum umbellatum*
- \_\_\_ *Polygonum douglasii*
- \_\_\_ *Polygonum minimum*
- \_\_\_ *Polygonum polygaloides* ssp. *kelloggii*  
(*Polygonum kelloggii*)
- \_\_\_ *Polygonum spergulariiforme*  
(*Polygonum douglasii* ssp.)
- \_\_\_ \**Rumex acetosella*
- \_\_\_ \**Rumex crispus*

**Ranunculaceae**

- \_\_\_ *Actaea rubra*
- \_\_\_ *Anemone deltoidea*
- \_\_\_ *Aquilegia formosa*
- \_\_\_ *Cimicifuga elata*
- \_\_\_ *Delphinium glaucum*

\_\_\_ *Ranunculus orthorhynchus* var.

\_\_\_ *Ranunculus uncinatus*

\_\_\_ *Thalictrum fendleri*

### Rosaceae

\_\_\_ *Drymocallis glandulosa*  
(*Potentilla glandulosa*)

\_\_\_ *Fragaria vesca*

\_\_\_ *Geum macrophyllum*

\_\_\_ *Potentilla gracilis*

\_\_\_ *Sanguisorba annua*  
(*Sanguisorba occidentalis*, *Poteridium*)

### Rubiaceae

\_\_\_ *Galium aparine*

\_\_\_ *Galium bifolium*

\_\_\_ *Galium triflorum*

### Saxifragaceae

\_\_\_ *Heuchera cylindrica* var. *alpina*

\_\_\_ *Lithophragma campanulatum*

\_\_\_ *Lithophragma glabrum*  
(*Lithophragma bulbiferum*)

\_\_\_ *Lithophragma parviflorum*

\_\_\_ *Mitella trifida*

\_\_\_ *Tellima grandiflora*

### Scrophulariaceae

\_\_\_ \**Verbascum thaspus*

### Valerianaceae

\_\_\_ *Plectritis congesta*

\_\_\_ *Valeriana sitchensis*

### Violaceae

\_\_\_ *Viola bakeri*  
(*Viola nuttallii* var. *bakeri*)

\_\_\_ *Viola glabella*

\_\_\_ *Viola sheltonii*

## MONOCOTS

### Amaryllidaceae

\_\_\_ *Allium siskiyouense*

### Asparagaceae

\_\_\_ *Camassia quamash*

\_\_\_ *Dichelostemma capitatum*

\_\_\_ *Dichelostemma congestum*  
(*Brodiaea congesta*)

\_\_\_ *Maianthemum racemosum*  
(*Smilacina racemosa*)

\_\_\_ *Maianthemum stellatum*  
(*Smilacina stellata*)

\_\_\_ *Triteleia hyacinthina*  
(*Brodiaea hyacinthina*)

### Liliaceae

\_\_\_ *Clintonia uniflora*

\_\_\_ *Erythronium klamathense*

\_\_\_ *Fritillaria atropurpurea*

\_\_\_ *Fritillaria pudica*

\_\_\_ *Prosartes hookeri*  
(*Disporum hookeri*)

### Melanthiaceae

\_\_\_ *Trillium albidum*

\_\_\_ *Trillium ovatum*

\_\_\_ *Veratrum californicum*

### Orchidaceae

\_\_\_ *Cephalanthera austiniiae*  
(*Eburophyton austiniiae*)

\_\_\_ *Corallorhiza striata*

## GRAMINOIDS

### Cyperaceae

\_\_\_ *Scirpus microcarpus*

### Poaceae

\_\_\_ *Elymus elymoides*

\_\_\_ \**Phleum pratense*