

# Browder Ridge Plant List as of 7/12/2016

T14S.R6E.S10,11

\*Non-native  
compiled by Tanya Harvey  
westerncascades.com

## FERNS & ALLIES

### Athyriaceae

\_\_\_ *Athyrium filix-femina*

### Blechnaceae

\_\_\_ *Blechnum spicant*

### Cystopteridaceae

\_\_\_ *Cystopteris fragilis*

\_\_\_ *Gymnocarpium disjunctum*

### Dennstaedtiaceae

\_\_\_ *Pteridium aquilinum*

### Dryopteridaceae

\_\_\_ *Polystichum lonchitis*

\_\_\_ *Polystichum munitum*

### Lycopodiaceae

\_\_\_ *Lycopodium clavatum*

### Polypodiaceae

\_\_\_ *Polypodium sp.*

### Pteridaceae

\_\_\_ *Adiantum aleuticum*

(*Adiantum pedatum* var. *aleuticum*)

\_\_\_ *Aspidotis densa*

\_\_\_ *Cheilanthes gracillima*

\_\_\_ *Cryptogramma acrostichoides*

(*Cryptogramma crispa*)

### Selaginellaceae

\_\_\_ *Selaginella scopulorum*

(*Selaginella densa* var. *scopulorum*)

\_\_\_ *Selaginella wallacei*

## TREES & SHRUBS:

### Cupressaceae

\_\_\_ *Callitropsis nootkatensis*

(*Chamaecyparis nootkatensis*)

\_\_\_ *Calocedrus decurrens*

(*Libocedrus decurrens*)

\_\_\_ *Juniperus communis*

\_\_\_ *Thuja plicata*

### Pinaceae

\_\_\_ *Abies amabilis*

\_\_\_ *Abies concolor* x *grandis*

\_\_\_ *Abies grandis*

\_\_\_ *Abies lasiocarpa*

\_\_\_ *Abies procera*

\_\_\_ *Picea engelmannii*

\_\_\_ *Pinus contorta* var. *latifolia*

\_\_\_ *Pinus monticola*

\_\_\_ *Pseudotsuga menziesii*

\_\_\_ *Tsuga heterophylla*

\_\_\_ *Tsuga mertensiana*

### Taxaceae

\_\_\_ *Taxus brevifolia*

## TREES & SHRUBS: DICOTS

### Adoxaceae

\_\_\_ *Sambucus racemosa*

### Araliaceae

\_\_\_ *Oplopanax horridum*

### Berberidaceae

\_\_\_ *Berberis nervosa*

(*Mahonia nervosa*)

### Betulaceae

\_\_\_ *Alnus viridis* ssp. *sinuata*

(*Alnus sinuata*)

\_\_\_ *Corylus cornuta* var. *californica*

### Caprifoliaceae

\_\_\_ *Symphoricarpos albus*

\_\_\_ *Symphoricarpos mollis*

(*Symphoricarpos hesperius*)

### Celastraceae

\_\_\_ *Paxistima myrsinites*

(*Pachystima myrsinites*)

### Ericaceae

\_\_\_ *Arctostaphylos nevadensis*

\_\_\_ *Arctostaphylos patula*

\_\_\_ *Gaultheria ovatifolia*

\_\_\_ *Rhododendron macrophyllum*

\_\_\_ *Vaccinium membranaceum*

\_\_\_ *Vaccinium ovalifolium*

\_\_\_ *Vaccinium scoparium*

### Fagaceae

\_\_\_ *Chrysolepis chrysophylla*

(*Castanopsis chrysophylla*)

### Grossulariaceae

\_\_\_ *Ribes binominatum*

\_\_\_ *Ribes lacustre*

\_\_\_ *Ribes lobbii*

\_\_\_ *Ribes sanguineum*

\_\_\_ *Ribes viscosissimum*

### Rhamnaceae

\_\_\_ *Ceanothus velutinus*

### Rosaceae

\_\_\_ *Amelanchier alnifolia*

\_\_\_ *Holodiscus discolor*

\_\_\_ *Prunus emarginata*

\_\_\_ *Rosa gymnocarpa*

\_\_\_ *Rubus lasiococcus*

\_\_\_ *Rubus leucodermis*

\_\_\_ *Rubus parviflorus*

\_\_\_ *Rubus spectabilis*

\_\_\_ *Rubus ursinus*

\_\_\_ *Sorbus scopulina*

\_\_\_ *Sorbus sitchensis*

\_\_\_ *Spiraea splendens*

(*Spiraea densiflora*)

### Salicaceae

\_\_\_ *Salix sitchensis*

### Sapindaceae

\_\_\_ *Acer circinatum*

\_\_\_ *Acer glabrum* var. *douglasii*

## HERBACEOUS DICOTS

### Apiaceae

\_\_\_ *Angelica arguta*

\_\_\_ *Heracleum maximum*

(*Heracleum lanatum*)

\_\_\_ *Ligusticum apiifolium*

\_\_\_ *Ligusticum grayi*

\_\_\_ *Lomatium dissectum*

\_\_\_ *Lomatium martindalei*

\_\_\_ *Orogenia fusiformis*

\_\_\_ *Osmorhiza berteroi*

(*Osmorhiza chilensis*)

\_\_\_ *Osmorhiza occidentalis*

\_\_\_ *Perideridia montana*

(*Perideridia gairdneri*)

\_\_\_ *Perideridia sp.*

\_\_\_ *Sanicula graveolens*

## Apocynaceae

\_\_\_ *Apocynum androsaemifolium*

## Aristolochiaceae

\_\_\_ *Asarum caudatum*

## Asteraceae

\_\_\_ *Achillea millefolium*

\_\_\_ *Adenocaulon bicolor*

\_\_\_ *Agoseris aurantiaca*

\_\_\_ *Anaphalis margaritacea*

\_\_\_ *Antennaria racemosa*

\_\_\_ *Antennaria rosea*  
(*Antennaria microphylla*)

\_\_\_ *Arnica amplexicaulis*  
(*Arnica lanceolata* ssp. *prima*)

\_\_\_ *Arnica latifolia*

\_\_\_ *Arnica parryi*

\_\_\_ *Artemisia ludoviciana*

\_\_\_ *Aster* sp.

\_\_\_ *Cirsium remotifolium*  
(*Cirsium callilepis*)

\_\_\_ *Cirsium* sp.

\_\_\_ *Columbiadorea hallii*  
(*Haplopappus hallii*)

\_\_\_ *Erigeron aliciae*

\_\_\_ *Erigeron compositus*

\_\_\_ *Erigeron foliosus* var. *confinis*

\_\_\_ *Eriophyllum lanatum*

\_\_\_ *Eucephalus ledophyllus*  
(*Aster ledophyllus*)

\_\_\_ *Eurybia radulina*  
(*Aster radulinus*)

\_\_\_ *Hieracium albiflorum*

\_\_\_ *Hieracium gracile*

\_\_\_ *Hieracium scouleri*

\_\_\_ *Microseris nutans*

\_\_\_ \**Mycelis muralis*  
(*Lactuca muralis*)

\_\_\_ *Packera bolanderi*  
(*Senecio bolanderi*)

\_\_\_ *Petasites frigidus* var. *palmatus*

\_\_\_ *Rainiera stricta*  
(*Luina stricta*)

\_\_\_ *Rudbeckia occidentalis*

\_\_\_ *Senecio integerrimus*

\_\_\_ *Senecio triangularis*

\_\_\_ *Solidago canadensis*

\_\_\_ *Symphyotrichum foliaceum*  
(*Aster foliaceus*)

\_\_\_ *Symphyotrichum spathulatum*  
(*Aster occidentalis*)

## Berberidaceae

\_\_\_ *Achlys triphylla*

\_\_\_ *Vancouveria hexandra*

## Boraginaceae

\_\_\_ *Hackelia micrantha*  
(*Hackelia jessicae*)

\_\_\_ *Mertensia bella*

\_\_\_ *Mertensia paniculata*

## Brassicaceae

\_\_\_ *Boechea retrofracta*  
(*Arabis holboellii*)

\_\_\_ *Erysimum capitatum* var. *capitatum*  
(*Erysimum asperum*)

## Campanulaceae

\_\_\_ *Campanula scouleri*

## Caryophyllaceae

\_\_\_ *Eremogone capillaris*  
(*Arenaria capillaris*)

\_\_\_ *Eremogone pumicola*  
(*Arenaria pumicola*)

\_\_\_ *Moehringia macrophylla*  
(*Arenaria macrophylla*)

\_\_\_ *Silene douglasii*

\_\_\_ *Stellaria obtusa*

## Celastraceae

\_\_\_ *Parnassia cirrata* var. *intermedia*  
(*Parnassia fimbriata* v. *hoodiana*)

## Cornaceae

\_\_\_ *Cornus unalaschkensis*  
(*Cornus canadensis*)

## Crassulaceae

\_\_\_ *Sedum oregonense*

\_\_\_ *Sedum stenopetalum*

## Ericaceae

\_\_\_ *Allotropa virgata*

\_\_\_ *Chimaphila menziesii*

\_\_\_ *Chimaphila umbellata*

\_\_\_ *Monotropa hypopitys*  
(*Hypopitys monotropa*)

\_\_\_ *Monotropa uniflora*

\_\_\_ *Orthilia secunda*  
(*Pyrola secunda*)

\_\_\_ *Pleuricospora fimbriolata*

\_\_\_ *Pterospora andromedea*

\_\_\_ *Pyrola asarifolia*

\_\_\_ *Pyrola picta*

## Fabaceae

\_\_\_ *Acmispon americanus*  
(*Lotus purshianus*, *L. unifoliolatus* v.)

\_\_\_ *Acmispon nevadensis*  
(*Lotus nevadensis*)

\_\_\_ *Lathyrus nevadensis*

\_\_\_ *Lupinus arbustus*  
(*Lupinus laxiflorus*)

\_\_\_ *Lupinus latifolius*

\_\_\_ *Trifolium kingii* var. *productum*  
(*Trifolium productum*)

\_\_\_ \**Trifolium repens*

\_\_\_ *Vicia americana*

## Gentianaceae

\_\_\_ *Gentiana calycosa*

## Hydrophyllaceae

\_\_\_ *Hydrophyllum occidentale*

\_\_\_ *Hydrophyllum tenuipes*

\_\_\_ *Phacelia mutabilis*

## Hypericaceae

\_\_\_ *Hypericum anagaloides*

\_\_\_ \**Hypericum perforatum*

\_\_\_ *Hypericum scouleri*  
(*Hypericum formosum*)

## Lamiaceae

\_\_\_ *Monardella odoratissima*

\_\_\_ *Prunella vulgaris*

\_\_\_ *Stachys rigida*

## Linaceae

\_\_\_ *Linum lewisii* var. *lewisii*  
(*Linum perenne lewisii*)

## Linnaeaceae

\_\_\_ *Linnaea borealis*

## Montiaceae

\_\_\_ *Claytonia lanceolata*

\_\_\_ *Claytonia sibirica*  
(*Montia sibirica*)

\_\_\_ *Lewisia triphylla*

\_\_\_ *Montia parvifolia*

## Onagraceae

- \_\_\_ *Chamerion angustifolium*  
(*Epilobium angustifolium*)
- \_\_\_ *Circaea alpina*
- \_\_\_ *Epilobium brachycarpum*  
(*Epilobium paniculatum*)
- \_\_\_ *Epilobium ciliatum* ssp. *glandulosum*  
(*Epilobium glandulosum glandulosum*)
- \_\_\_ *Epilobium glaberrimum* var. *fastigiatum*
- \_\_\_ *Epilobium lactiflorum*  
(*Epilobium alpinum* var. *lactiflorum*)
- \_\_\_ *Epilobium minutum*
- \_\_\_ *Epilobium oregonense*  
(*Epilobium alpinum* v. *gracillimum*)
- \_\_\_ *Epilobium* sp.
- \_\_\_ *Gayophytum diffusum*
- \_\_\_ *Gayophytum heterozygum*
- \_\_\_ *Gayophytum humile*

## Orobanchaceae

- \_\_\_ *Castilleja hispida*
- \_\_\_ *Castilleja miniata*
- \_\_\_ *Orobanche fasciculata*
- \_\_\_ *Orthocarpus imbricatus*
- \_\_\_ *Pedicularis bracteosa* var. *flavida*
- \_\_\_ *Pedicularis racemosa*

## Papaveraceae

- \_\_\_ *Dicentra formosa*
- \_\_\_ *Dicentra uniflora*

## Phrymaceae

- \_\_\_ *Mimulus breweri*
- \_\_\_ *Mimulus guttatus*
- \_\_\_ *Mimulus moschatus*

## Plantaginaceae

- \_\_\_ *Collinsia parviflora*
- \_\_\_ *Nothochelone nemorosa*
- \_\_\_ *Penstemon cardwellii*
- \_\_\_ *Penstemon procerus* var. *brachyanthus*
- \_\_\_ *Penstemon rupicola*
- \_\_\_ *Synthyris reniformis*
- \_\_\_ *Veronica serpyllifolia* var. *humifusa*

## Polemoniaceae

- \_\_\_ *Collomia heterophylla*
- \_\_\_ *Gilia capitata*

\_\_\_ *Ipomopsis aggregata*  
(*Gilia aggregata*)

\_\_\_ *Microsteris gracilis*  
(*Phlox gracilis*)

\_\_\_ *Navarretia divaricata*

\_\_\_ *Phlox diffusa*

\_\_\_ *Polemonium carneum*

## Polygonaceae

- \_\_\_ *Aconogonon davisiae* var. *davisiae*  
(*Polygonum newberryi*)
- \_\_\_ *Aconogonon phytolaccifolium*  
(*Polygonum phytolaccifolium*)
- \_\_\_ *Bistorta bistortoides*  
(*Polygonum bistortoides*)
- \_\_\_ *Eriogonum compositum*
- \_\_\_ *Eriogonum nudum*
- \_\_\_ *Eriogonum umbellatum*
- \_\_\_ *Polygonum cascadenense*
- \_\_\_ *Polygonum minimum*
- \_\_\_ *Polygonum polygaloides* ssp. *kelloggii*  
(*Polygonum kelloggii*)
- \_\_\_ \**Rumex acetosella*

## Primulaceae

\_\_\_ *Lysimachia latifolia*  
(*Trientalis latifolia*)

## Ranunculaceae

- \_\_\_ *Actaea rubra*
- \_\_\_ *Anemone deltoidea*
- \_\_\_ *Anemone lyallii*
- \_\_\_ *Anemone oregana*
- \_\_\_ *Aquilegia formosa*
- \_\_\_ *Delphinium menziesii*
- \_\_\_ *Ranunculus uncinatus*
- \_\_\_ *Thalictrum occidentale*

## Rosaceae

- \_\_\_ *Aruncus dioicus*  
(*Aruncus sylvester*)
- \_\_\_ *Drymocallis glandulosa*  
(*Potentilla glandulosa*)
- \_\_\_ *Fragaria vesca*
- \_\_\_ *Fragaria virginiana*
- \_\_\_ *Luetkea pectinata*

## Rubiaceae

- \_\_\_ *Galium aparine*
- \_\_\_ *Galium bifolium*

\_\_\_ *Galium oreganum*

\_\_\_ *Galium triflorum*

## Santalaceae

- \_\_\_ *Arceuthobium* sp.
- \_\_\_ *Comandra umbellata* var. *californica*

## Saxifragaceae

- \_\_\_ *Micranthes ferruginea*  
(*Saxifraga ferruginea*)
- \_\_\_ *Micranthes integrifolia*  
(*Saxifraga integrifolia*)
- \_\_\_ *Micranthes oregana*  
(*Saxifraga oregana*)
- \_\_\_ *Micranthes rufidula*  
(*Saxifraga occidentalis* var. *rufidula*)
- \_\_\_ *Mitella breweri*
- \_\_\_ *Mitella caulescens*
- \_\_\_ *Mitella trifida*
- \_\_\_ *Tellima grandiflora*
- \_\_\_ *Tiarella trifoliata* var. *unifoliata*

## Valerianaceae

- \_\_\_ *Valeriana sitchensis*

## Violaceae

- \_\_\_ *Viola bakeri*  
(*Viola nuttallii* var. *bakeri*)
- \_\_\_ *Viola glabella*
- \_\_\_ *Viola orbiculata*

## MONOCOTS

### Amaryllidaceae

- \_\_\_ *Allium crenulatum*

### Asparagaceae

- \_\_\_ *Maianthemum racemosum*  
(*Smilacina racemosa*)
- \_\_\_ *Maianthemum stellatum*  
(*Smilacina stellata*)
- \_\_\_ *Triteleia hyacinthina*  
(*Brodiaea hyacinthina*)

### Liliaceae

- \_\_\_ *Calochortus subalpinus*
- \_\_\_ *Clintonia uniflora*
- \_\_\_ *Erythronium grandiflorum*
- \_\_\_ *Lilium columbianum*
- \_\_\_ *Lilium washingtonianum*
- \_\_\_ *Prosartes hookeri*  
(*Disporum hookeri*)

### **Melanthiaceae**

- \_\_\_ *Toxicoscordion venenosum*  
(*Zigadenus venenosus*)
- \_\_\_ *Trillium ovatum*
- \_\_\_ *Veratrum viride*
- \_\_\_ *Xerophyllum tenax*

### **Orchidaceae**

- \_\_\_ *Corallorhiza maculata*
- \_\_\_ *Corallorhiza mertensiana*
- \_\_\_ *Goodyera oblongifolia*
- \_\_\_ *Neottia banksiana*  
(*Listera caurina*)
- \_\_\_ *Piperia unalascensis*  
(*Habenaria unalascensis*)
- \_\_\_ *Spiranthes romanzoffiana*

### **Tofieldiaceae**

- \_\_\_ *Triantha occidentalis*  
(*Tofieldia glutinosa*)

## **GRAMINOIDS**

### **Cyperaceae**

- \_\_\_ *Eleocharis* sp.
- \_\_\_ *Scirpus congdonii*

### **Juncaceae**

- \_\_\_ *Juncus ensifolius* var. *ensifolius*

### **Poaceae**

- \_\_\_ *Bromus carinatus*
- \_\_\_ *Muhlenbergia filiformis*